IN THE CLAIMS:

1. (Currently Amended) A disposal container for spent light fluorescent bulbs, comprising:

a seamless tube of <u>2 mil</u> puncture resistant plastic adapted to contain only one light bulb having an open end and <u>a</u> sealed at the other end, the tube being from about three inches to about three feet long; and

means for sealing the open end after a spent <u>light fluorescent</u> bulb is inserted inside the tube [[for]] <u>thereby</u> providing a glass shard puncture resistant gas impervious container <u>for the fluorescent bulb</u>.

- 2. (Cancelled)
- 3. (Currently Amended) The container of claim 1, wherein the tube further comprises an insert further comprising a strip of sulfur impregnated activated carbon paper located inside the tube for absorbing [[the]] any gasses such as mercury released from a broken light fluorescent bulb.
- 4. (Currently Amended) The container of claim 1, wherein the tube further comprises further comprising a desiccant package of sulfur-impregnated activated carbon granules located inside the tube.

5.-9. (Cancelled)

10. (Currently Amended) The container of claim 1, wherein the tube emprises is a puncture-resistant light mil plastic with a heavy paper liner.

11. (Cancelled)

- 12. (Currently Amended) The container of claim [[11]] 10, wherein the tube further comprises further comprising a strip of sulfur-impregnated activated carbon paper located inside the paper liner.
- 13. (Currently Amended) The container of claim 12, wherein the tube further emprises further comprising a strip of sulfur chalk attached to the paper liner.
- 14. (Currently Amended) The container of claim 13, wherein the paper liner further comprises further comprising sulfur impregnated into the paper liner.

15. (Cancelled)

16. (Withdrawn) A method of handling and disposing of one or more light bulbs in a disposal tube having an open end and a closed end, said method comprising:

inserting one or more light bulbs into the open end of the disposal tube; closing the open end of the disposal tube containing the one or more light bulbs; and

shattering the glass of the one or more light bulbs contained within the disposal tube by striking the closed disposal tube with a blunt force object or dropping the closed disposal tube onto a hard surface.

- 17. (Withdrawn) The method of claim 16, further comprising sealing the open end of the disposal tube containing the one or more light bulbs following the closing step.
- 18. (Withdrawn) The method of claim 16, further comprising disposing of the glass from the shattered light bulb(s).

- 19. (Withdrawn) The method of claim 16, further comprising disposing of the disposal tube and the shattered light bulb(s) contained therein.
 - 20. (Withdrawn) A method of handling a light bulb, comprising:

providing a disposal tube comprising one or more layers of puncture-resistant material, said tube having an open end and a closed end;

inserting the light bulb into the open end of the disposal tube;

closing the open end of the disposal tube with the bulb contained therein; and transporting the light bulb within the disposal tube.

- 21. (Withdrawn) The method of claim 20, wherein the tube further comprises a means for absorbing metals or gasses released from the light bulb upon breakage.
- 22. (Withdrawn) The method of claim 20, further comprising storing the light bulb in the disposal tube until the bulb is removed therefrom.
 - 23. (Withdrawn) The method of claim 20, further comprising

removing the transported light bulb from within the disposal tube; placing into the thus empty disposal tube one or more light bulbs to be discarded;

closing and sealing the open end of the disposal tube containing the one or more light bulbs to be discarded; and

shattering the glass of the one or more light bulbs contained within the disposal tube by striking the sealed disposal tube with a blunt force object or dropping the sealed disposal tube onto a hard surface.

- 24. (Withdrawn) A disposal tube for disposing of one or more light bulbs comprising a cylindrical shape, having an open end and an opposing closed end, and having a means for closing and/or sealing the open end of the tube after the one or more bulbs have been inserted therein.
- 25. (Withdrawn) The disposal tube of claim 24, further comprising a means for absorbing metals or gasses released from the one or more light bulbs upon breakage.
- 26. (Withdrawn) The disposal tube of claim 24, wherein the tube comprises puncture-resistant material, or a combination of more than one layer of materials, wherein at least one layer comprises puncture-resistant material.
- 27. (Withdrawn) The disposal tube of claim 26, wherein the puncture-resistant material is plastic.
- 28. (Withdrawn) The disposal tube of claim 26, wherein there is more than one layer, and wherein at least one layer of the puncture-resistant material is plastic or heavy paper.